

LANE COUNTY SHERIFF'S OFFICE

LABORATORY REPORT

TO: Master File
CIS (TRACY)

CASE: 83-3268
LAB: 134-83
DATE: 06-01-83
INITIAL
SUPPLEMENTAL

INCIDENT: Murder/Attempted Murder


EXAMINATION REQUESTED: Take photographs of victims wounds.

VICTIM: DOWNS, Christie Ann 10-07-74

DETAILS: On 26 May 1983, at 1059 hours. writer took color photographs of the above listed victim, at McKenzie Willamette Hospital. The photo's illustrate two (2) entry wounds on the left breast area, just to the left of the left nipple, and of an exit wound in the middle of the back, just below the neck. Doctor WILHITE was present at the time the photographs were taken.

At 1117 hours, writer received a lead bullet, from Detective TRACY. The bullet had been removed from the back of DOWNS, Christie Ann, by Doctor WILHITE.

Photographic prints and negatives are being retained in the lab file.


Jon L. Peckels, Sgt.
Identification Section

NOTE: This officer describes the bullet as a "lead bullet."
Detective Tracy, an officer with 20 years experience said in court he could see no difference between copper wash bullets and lead bullets. Even the gallery could see the difference. Isn't it clear that Diane was railroaded by lying, cheating "law enforcement" officers?